

IN THE CLAIMS




The text of all claims under examination is submitted, and the status of each is identified. This listing of claims replaces all prior versions, and listings, of claims in the application.

1-4. (cancelled)

5. (currently amended): A composition comprising

(A) an ethylenically unsaturated compound that contains at least one aminoacrylate,

(B) a photoinitiator of formula II-~~or~~ III or V



(C) optionally further binders or additives,

(D) optionally further photoinitiators or co-initiators.

6-8. (cancelled)

9. (currently amended) A process for the production of a scratch-resistant durable surface, wherein a composition according to claim [[4]] 5 is applied to a support, and curing of the formulation is carried out either solely by irradiation with electromagnetic radiation of a wavelength ranging from 200 nm

into the NIR or IR region, or by irradiation with electromagnetic radiation and prior, simultaneous and/or subsequent action of heat.

10. (currently amended) A composition according to claim ~~[[4]]~~ 5 which is selected from the group consisting of pigmented or unpigmented surface coatings, overprint coatings, formulations for printing inks, powder coatings, inkjet inks, fine layers (gel coats), composite materials and glass fibre cable coatings.

11. (currently amended) A substrate that has been coated on at least one surface with a composition according to claim ~~[[4]]~~.



12. (previously presented) A process for the production of a scratch-resistant durable surface, wherein a composition according to claim 5 is applied to a support, and curing of the formulation is carried out either solely by irradiation with electromagnetic radiation of a wavelength ranging from 200 nm into the NIR or IR region, or by irradiation with electromagnetic radiation and prior, simultaneous and/or subsequent action of heat.

13. (previously presented) A composition according to claim 5 which is selected from the group consisting of pigmented or unpigmented surface coatings, overprint coatings, formulations for printing inks, powder coatings, inkjet inks, fine layers (gel coats), composite materials and glass fibre cable coatings.

14. (previously presented) A substrate that has been coated on at least one surface with a composition according to claim 5.

15. (new) A composition comprising

- (A) an ethylenically unsaturated compound that contains at least one aminoacrylate,
- (B) a photoinitiator of formula II or V



(C) optionally further binders or additives,

(D) optionally further photoinitiators or co-initiators.